



SPC TRADING COMPANY

Trading industrial's equipment & Agriculture's machinery

TODAY POWER - FUTURE TECHNOLOGY

www.spc-trading.com

HIGH PRESSURE CLEANER & SPRAYER PUMP

OS model

OS-16-AE1



OS-16-A



OS-30-B1



OS-120-A1



OS-22-B



OS-90-CE2



OS-5200



OS-50-A1



Model	Specification	Suction Volume (l/min)	P (ATM)	Power (HP)	Speed (R.P.M)	Weight (kg)	Dimensions (L x W x H)(mm)
OS-16A	BRASS	7 ~ 16	10 ~ 40	0.6 ~ 1	800 ~ 1200	6.5	300 × 240 × 290
OS-16AE	BRASS	7 ~ 16	10 ~ 40	0.6 ~ 1	800 ~ 1200	6.5	300 × 240 × 290
OS-22B	BRASS	13 ~ 22	10 ~ 40	1.5 ~ 2	800 ~ 1200	10.5	390 × 295 × 340
OS-30B1	BRASS	30 ~ 40	10 ~ 40	2 ~ 3	800 ~ 1200	13.5	430 × 315 × 345
OS-30B1	CAST IRON	30 ~ 40	10 ~ 40	2 ~ 3	800 ~ 1200	13.5	430 × 315 × 345
OS-50A1	BRASS	45 ~ 60	10 ~ 40	3 ~ 4	800 ~ 1200	13.5	430 × 315 × 345
OS-90CE2	BRASS	70 ~ 90	10 ~ 50	3 ~ 7.5	800 ~ 1000	21.5	450 × 390 × 560
OS-120-A1	BRASS	103 ~ 116	10 ~ 50	5 ~ 10	800 ~ 900	322.5	600 × 440 × 560
OS-5200	CAST IRON	160 ~ 240	10 ~ 60	13 ~ 22	800	??	??



SPRAYER DUSTER model

Model	SPC-767-A	WFB-18AC-A	3WF-8A	3WF-2.6B
Capacity (Lit.)	25	11	15	18
Mating Power	TU26/1E34F	1E40FA	1E40FA	1E40F / 1E40FA
Dimensions (L x W x H) (cm)	42 x 35 x 68	55 x 38 x 68	40 x 39 x 67	45 x 40 x 70

www.spc-trading.com

Model	3WBS-16-A	SPC-16B-6	SPC-16-2	SPC-16B-8	SPC-20B-4	SPC-20B-5	SX-5C	SX-8B
Capacity (Lit.)	16	16	16	16	20	20	5	8
Pressure (Mpa)	0.2 - 0.3	0.2 - 0.3	0.2 - 0.3	0.2 - 0.3	0.2 - 0.3	0.2 - 0.3	0.2 - 0.3	0.2 - 0.3
Dimensions (L x W x H) (cm)	42 x 18.5 x 59	41 x 20 x 52	39 x 19 x 52	41 x 20 x 52	39 x 20 x 52	39 x 20 x 52	57.5 x 38.5 x 47	56.5 x 38.5 x 57.5



SPRAYER model



Model	LT-8.7-16M
Pump Model	LB3WZ-2525 - A
Power	(kw) 2.2 (hp) 3
Voltage (v)	220
R.P.M	2800
Flow (l/min)	7.3
Max Pressure (bar)	140
Dimensions (L x W x H) (cm)	58.5 x 45.5 x 40.5

LT-8.7-16M model

www.spc-trading.com

Model	LT-390
Pump Model	LB3WZ-1206 - A
Power	(kw) 1.6 (hp) 2.2
Voltage (v)	220
R.P.M	2800
Flow (l/min)	7.3
Max Pressure (bar)	84
Dimensions (L x W x H) (cm)	58.5 x 45.5 x 40.5

LT-390 model




Model	LT-18-24A
Pump Model	LB3WZ-2525 - A
Power	(kw) -- (hp) 13
Type of Fuel	Gasoline
R.P.M	3600
Flow (l/min)	13.2
Max Pressure (bar)	252
Dimensions (L x W x H) (cm)	81.5 x 51.5 x 65

LT-18-24A model

Model	CF-1514-C
Pump Model	LB3WZ-1508
Power	(kw) 3.68 (hp) 4.9
Voltage	DIESEL
R.P.M	3600
Flow (l/min)	14
Max Pressure (mpa)	18
Dimensions (L x W x H) (cm)	65 x 40 x 60

CF-1514-C model





Model	LT-8.7-18M-1	LT-8.7-18M-2	LT-18-20M-1	LT-18-20M-3	LT-18-20M-4	
Pump Model	LB3WZ-1510 - A	LB3WZ-1510 - A	LB3WZ-1810 - A	LB3WZ-1808 - A	LB3WZ-1810 - A	
Power	(kw)	3.7	4	5.5	5.5	7.5
	(hp)	5	5.5	7.5	7.5	10
Voltage (v)	220	380	380	380	380	
R.P.M	2800	2800	1450	2800	2800	
Flow (l/min)	8.1	8.1	8.3	10.5	12.1	
Max Pressure (bar)	180	180	170	200	250	
Dimensions (L x W x H) (cm)	72.5 x 54 x 54	72.5 x 54 x 54	88 x 63 x 55	88 x 63 x 55	88 x 63 x 55	

LT-8.7-18M LT-8.7-20M model

www.spc-trading.com

TH & TV & DFL model

Model	DFL120-230C	THG 055C	THF 070C	THA 080C	TVH 080C1	THD 080G	TVF 090C	TVG 100G	TVD 100G	TVD 110G
Working Pressure (bar)	60	55	70	80	80	80	90	100	100	110
Max. Pressure (bar)	140	80	140	150	150	120	150	150	150	200
Flow Rate (Lit/min)	5.5	5	5.5	6	6	6	6	6	5.5	6
Motor Power (w)	1400	1400	1600	1800	1700	1500	1800	2000	2000	2000
G.W. (kgs)	6.5	5.8	6.5	8	7.5	13	14	15	18	21
Carton Dimension (cm)	45 x 24 x 26	44 x 23 x 28	45 x 24 x 28	46 x 25 x 28	77 x 31 x 31	47.5 x 28.5 x 30	77 x 31 x 31	87 x 30 x 45	83 x 34 x 31	83 x 34 x 31



LB3WZ & 3WZ model

Model	Bore (mm)	Max Pressure (bar)	Power (hp)	R.P.M	Flow (l/min)	Dimensions (L x W x H) (cm)
LB3WZ-1508 - A	20	200	5.5	2800	10.3	36 x 28 x 25
LB3WZ-1508 - B	24		6.5	3400	12.5	
LB3WZ-1510 - A	25	210	7.5	2800	12.9	
LB3WZ-1510 - B	24		8	3400	15.6	
LB3WZ-1808 - A	25	250	10	2800	17	38 x 30 x 27.5
LB3WZ-1808 - B	24		11	3400	21.7	
LB3WZ-1810 - A	25	270	10	2800	20.9	
LB3WZ-1810 - B	24		13	3400	25.4	
LB3WZ-2525 - A	19	180	5.5	2800	9.1	28 x 24 x 24
			6.5	3400	11	
LB3WZ-1206 - A	19	100	2	2800	6	30 x 19 x 20
		150	5.5	3400	6.9	
3WZ-1509-A	19	250	6.5	3400	12.6	36 x 28 x 25
3WZ-1509-B	24	200	5.5	2800	10.3	
3WZ-1509-C	28	200	5.5	2800	10.3	



LB3WZ - 2525-A



LB3WZ - 1206-A



LB3WZ - A



LB3WZ - B



3WZ-A



3WZ-B



3WZ-C

