

- 
- MULTISTAGE PUMPS
 - TWO WAY PUMPS
 - CENTRIFUGAL PUMPS
 - AUTOMATIC PUMPS
 - SWIMMING POOL PUMPS
 - FOUNTAIN PUMPS
 - SPRAY PUMPS
 - WASHER PUMPS
 - DC PUMPS (12V/24V)
 - SELF - PRIMING JET PUMPS
 - SUBMERSIBLE PUMPS

SPC

SPC TRADING COMPANY

Trading industrial's equipment & Agriculture's machinery

TODAY POWER - FUTURE TECHNOLOGY

www.spc-trading.com

▶ SUBMERSIBLE PUMPS

Model	POWER		Q Max. (L/min)	H Max. (m)	Speed (r.p.m)	Inlet/ Outlet (inch)
	W	HP				
TVM 60	300	0.37	18	70	2850	½"
CP250 E/F/G	250	0.33	83	6	2850	1"-1¼"-1½"
CP350 E/F/G	350	0.46	100	7	2850	1"-1¼"-1½"
CP400 E/F/G	400	0.53	117	7.5	2850	1"-1¼"-1½"
CP450 E/F/G	450	0.6	133	8	2850	1"-1¼"-1½"
CP500 E/F/G	500	0.66	150	8.5	2850	1"-1¼"-1½"
CP550 E/F/G	550	0.73	158	9	2850	1"-1¼"-1½"
CP750 E/F/G	750	1	175	10	2850	1"-1¼"-1½"
CP900 E/F/G	900	1.2	200	11	2850	1"-1¼"-1½"
DP400 E/F/G	400	0.53	125	5	2850	1"-1¼"-1½"
DP550 E/F/G	550	0.73	175	7	2850	1"-1¼"-1½"
DP750 E/F/G	750	1	208	8	2850	1"-1¼"-1½"
DP900 E/F/G	900	1.2	216	9	2850	1"-1¼"-1½"
DP1100 E/F/G	1100	1.5	233	10	2850	1"-1¼"-1½"
CP400J	400	0.53	140	6	2850	1"-1¼"-1½"
CP550J	550	0.73	158	7	2850	1"-1¼"-1½"
CP750J	750	1	175	8.5	2850	1"-1¼"-1½"
CP900J	900	1.2	216	9	2850	1"-1¼"-1½"
DP400I	400	0.53	140	6.5	2850	1"-1¼"-1½"
DP550I	550	0.73	208	8	2850	1"-1¼"-1½"
DP750I	750	1	216	9	2850	1"-1¼"-1½"
DP900I	900	1.2	241	10	2850	1"-1¼"-1½"
DP1100I	1100	1.5	258	11	2850	1"-1¼"-1½"
CP400L	400	0.53	133	7	2850	1"-1¼"-1½"
CP550L	550	0.73	158	8	2850	1"-1¼"-1½"
CP750L	750	1	175	8.5	2850	1"-1¼"-1½"
CP900L	900	1.2	216	9	2850	1"-1¼"-1½"
DP400P	400	0.53	141	6.5	2850	1"-1¼"-1½"
DP550P	550	0.73	175	7	2850	1"-1¼"-1½"
DP750P	750	1	208	8	2850	1"-1¼"-1½"
DP900P	900	1.2	233	9	2850	1"-1¼"-1½"
DP1100P	1100	1.5	250	9.5	2850	1"-1¼"-1½"
QDX1.5-12-0.25	250	0.33	25	12	2850	1"
QDX1.5-17-0.37	370	0.5	25	17	2850	1"
QDX3-22-0.55	550	0.75	50	22	2850	1"
QDX20-5-0.55	550	0.75	333	5	2850	1"
QDX1.5-32-0.75	750	1	25	32	2850	1"
QDX3-24-0.75	750	1	50	24	2850	1"
SP-TOP 1	250	0.33	120	7	2850	1"
SP-TOP 2	370	0.50	140	9	2850	1"
SP-TOP 3	500	0.70	200	10.5	2850	1"



➤ **SELF - PRIMING JET PUMPS**

Model	POWER		Q Max. (L/min)	H Max. (m)	Max. Suction (m)	Speed (r.p.m)	Inlet/ Outlet (inch)	Application
	W	HP						
JET-60P	460	0.6	55	35	9	2850	1"x1"	Plastic Impeller
JET-80P	600	0.8	60	40	9	2850	1"x1"	
JET-100P	750	1	60	45	9	2850	1"x1"	
JET-100L	750	1	60	45	9	2850	1"x1"	
JSP-155A	460	0.6	55	35	9	2850	1"x1"	
JSP-355A	750	1	60	45	9	2850	1"x1"	
JSP-800	800	1.1	50	38	9	2850	1"x1"	



www.spc-trading.com

➤ **SELF - PRIMING JET PUMPS**

Model	POWER		Q Max. (L/min)	H Max. (m)	Max. Suction (m)	Speed (r.p.m)	Inlet/ Outlet (inch)	Application
	W	HP						
SP-JS80	800	1.1	43	45	8	2850	1"x1"	Plastic Impeller
SP-JS110	1100	1.5	54	52	8	2850	1"x1"	
SP-EJS60	600	0.8	38	42	8	2850	1"x1"	
SP-EJS110	1100	1.5	54	52	8	2850	1"x1"	
SP-JSP600	600	0.8	45	33	8	2850	1"x1"	
SP-JSP1200	1200	1.6	65	47	8	2850	1"x1"	
SP-PGJC800	800	1.1	50	40	9	2850	1"x1"	






Model	Motor (HP)	Q Max. (L/min)	Pressure (ATM)	Speed (r.p.m)
OS - 16	0.6 ~ 1	7 ~ 16	10 ~ 40	800 ~ 1200
OS - 22	1.5 ~ 2	13 ~ 22	10 ~ 40	800 ~ 1200
OS - 30	2 ~ 3	30 ~ 40	10 ~ 40	800 ~ 1200
OS - 50	3 ~ 4	45 ~ 60	10 ~ 40	800 ~ 1200
OS - 90	3 ~ 7.5	70 ~ 90	10 ~ 50	800 ~ 1000
OS - 120	5 ~ 10	103 ~ 116	10 ~ 50	800 ~ 900

▶ SPRAY PUMPS

▶ WASHER PUMPS


Model	POWER		Flow (L/min)	Pressure (bar)	Speed (r.p.m)
	kW	HP			
LB3WZ-1508 - A	4	-	10.3	200	2800
LB3WZ-1508 - B	-	6.5	12.5	200	3400
LB3WZ-1510 - A	5.5	-	12.9	210	2800
LB3WZ-1510 - B	-	8	15.6	210	3400
LB3WZ-1808 - A	7.5	-	17	250	2800
LB3WZ-1808 - B	-	11	21.7	250	3400
LB3WZ-1810 - A	7.5	-	20.9	270	2800
LB3WZ-1810 - B	-	13	25.4	270	3400
LB3WZ-2525 - A	4	-	9.1	180	2800
	-	6.5	11	180	3400
LB3WZ-1206 - A	-	2	6	100	2800
	-	5.5	6.9	150	3400



▶ DC PUMPS (12V/24V)

Model	Power (w)	Amp. (A)	Q Max. (L/min)	H Max. (m)	Inlet/Outlet (mm)	Application
1000GPH - 12V	45	5.5	63	4	28.5	SUBMERSIBLE PUMP (DC)
2000GPH - 12V	85	11	126	4	28.5	
3000GPH - 12V	156	13	190	5	32	
3500GPH - 12V	120	10	225	8	40	
3700GPH - 24V	216	9	250	8	40	
ZQB12 - 12V	120	10	100	8	25	
ZQB24 - 24V	120	5	100	8	25	
BL-2512S - 12V	52	5.4	70	4	25	
BL-2524S - 24V	52	3.8	70	4	25	
BL-2512N - 12V	50	7.8	70	5	25	
BL-2524N - 24V	50	3.8	70	5	25	
TL26 - 12V	120	11	16	10	25	

Model	POWER		Q Max. (L/min)	H Max. (m)	Max. Suction (m)	Speed (r.p.m)	Inlet/ Outlet (inch)
	W	HP					
AUJET40	500	0.65	43	38	9	2850	1"x1"
AUJET60	600	0.75	37	40	8	2850	1"x1"
AUJET80	800	1.1	46	43	8	2850	1"x1"
AUJET100	1000	1.3	53	48	8	2850	1"x1"
AUJS60	600	0.8	38	42	8	2850	1"x1"
AUJS80	800	1.1	43	45	8	2850	1"x1"
AUJS100	1000	1.3	49	51	8	2850	1"x1"
AUJS110	1100	1.2	54	52	8	2850	1"x1"



AUJS

AUJET

➤ AUTOMATIC PUMPS

www.spc-trading.com

➤ SWIMMING POOL PUMPS



JP

Model	POWER (HP)	Q Max. (L/min)	H Max. (m)	Max. Suction (m)	Speed (r.p.m)	Inlet/ Outlet (inch)	Application
JP35	1/3	160	8	8	2850	2"	Plastic Body & Plastic Impeller
JP50	1/2	210	11	8	2850	2"	
JP75	3/4	240	10.5	8	2850	2"	
JP100	1	275	11	8	2850	2"	
JP120	1.2	300	13	8	2850	2"	
JP150	1.5	430	16.5	8	2850	2"	
JP200	2	520	18	8	2850	2"	
JP250	2.5	600	19	8	2850	2"	
JP300	3	635	19.5	8	2850	2"	

www.spc-trading.com

➤ FOUNTAIN PUMPS

Model	Power (w)	Q Max. (L/min)	H Max. (m)	Outlet (inch)
FP55-1	55	30	3.5	1/2"
FP110-1	110	78	5.5	1/2"
FP75-2	75	60	4.5	1/2"
FP38-2	38	25	2.5	1/2"
FP55-3	55	30	2.5	1"



FP-55-3

FP-75
FP-38

FP-55-1
FP-110

Model	POWER		Q Max. (L/min)	H Max. (m)	Max. Suction (m)	Speed (r.p.m)	Inlet/ Outlet (inch)	Application
	W	HP						
MV700	450	0.6	90	25	8	2850	1"x1"	Stainless Steel Impeller
MV900	550	0.75	90	35	8	2850	1"x1"	
MV1100	750	1	90	45	8	2850	1"x1"	
MV1300	950	1.3	90	55	8	2850	1"x1"	
MH600	375	0.5	60	31	8	2850	1"x1"	
MH800	550	0.75	60	41	8	2850	1"x1"	
MH1100	750	1	90	42	8	2850	1"x1"	
MH1300	950	1.3	90	50	8	2850	1"x1"	
SRM 304	750	1	75	48	8	2850	1"x1"	
SRM 306	1125	1.5	75	72	8	2850	1"x1"	
SRM504	920	1.25	120	40	8	2850	1"x1"	
SRM 505	1125	1.5	120	63	8	2850	1"x1"	
SRM 506	1500	2	120	76	8	2850	1"x1"	



➤ **MULTISTAGE PUMPS**

www.spc-trading.com

➤ **TWO WAY PUMPS**



Model	POWER		Q Max. (L/min)	H Max. (m)	Max. Suction (m)	Speed (r.p.m)	Inlet/ Outlet (inch)	Application
	W	HP						
BE-M25	450	0.6	40	12	9	2850	1	Bronze Impeller
BE-M35	900	1.2	75	16	9	2850	1½"	

➤ **CENTRIFUGAL PUMPS**

Model	POWER		Q Max. (L/min)	H Max. (m)	Max. Suction (m)	Speed (r.p.m)	Inlet/ Outlet (inch)
	W	HP					
IDB-35	370	0.5	35	35	9	2850	1"x1"
IDB-40	550	0.75	43	50	9	2850	1"x1"
IDB-50	750	1	55	55	9	2850	1.5"x1.5"
BA3	370	0.5	35	35	9	2850	1"x1"
CP-45	370	0.5	35	35	9	2850	1"x1"
CPM-130	400	0.54	100	20	9	2850	1"x1"
CPM-158	750	1	108	32	9	2850	1"x1"
2DK-16	1100	1.5	420	16	9	2850	2"x2"
2DK-20	1500	2	420	20	9	2850	2"x2"
DTM-16	1100	1.5	400	16	9	2850	2"x2"
NFM-130	2200	3	700	20	9	2850	3"x3"

