


# S 40 - 50 Hz

Laufrad:  
Impeller: **110 mm Ø**  
Girante:

Feststoffe bis:  
Solids up to: **20 mm Ø**  
Solidi fino a:

Umdrehung:  
Speed: **2900 min<sup>-1</sup>**  
Velocità:

08/92




# S 41 - 50 Hz

Laufrad:  
Impeller: **110 mm Ø**  
Girante:

Feststoffe bis:  
Solids up to: **20 mm Ø**  
Solidi fino a:

Umdrehung:  
Speed: **2900 min<sup>-1</sup>**  
Velocità:

04/04




# S 45 - 50 Hz

LaufRad:  
Impeller: 172 mm Ø  
Girante:

Feststoffe bis:  
Solids up to: 14x19 mm  
Solidi fino a:

Umdrehung:  
Speed: 2900 min<sup>-1</sup>  
Velocità:

04/96




## S 46 K - 50 Hz

Laufrad:  
Impeller: **170 mm Ø**  
Girante:

Feststoffe bis:  
Solids up to: **13 (9) mm Ø**  
Solidi fino a:

Umdrehung:  
Speed: **2900 min<sup>-1</sup>**  
Velocità:

P 761111    06.06.01    S 46 K    ø170x14,5xø50    Mod. S 701292



# S 50 - 50 Hz


Laufrad:  
Impeller: **120 mm Ø**  
Girante:

Feststoffe bis:  
Solids up to: **25 mm Ø**  
Solidi fino a:

Umdrehung:  
Speed: **2900 min<sup>-1</sup>**  
Velocità:

P 602211 S 50

08/92




# S 51 - 50 Hz

Laufrad:  
Impeller: **120 mm Ø**  
Girante:

Feststoffe bis:  
Solids up to: **25 mm Ø**  
Solidi fino a:

Umdrehung:  
Speed: **2900 min<sup>-1</sup>**  
Velocità:

8/92




# S 60 - 50 Hz

LaufRad:  
Impeller: 172 mm Ø  
Girante:

Feststoffe bis:  
Solids up to: 17 mm Ø  
Solidi fino a:

Umdrehung:  
Speed: 2900 min<sup>-1</sup>  
Velocità:

8/92




# S 61 - 50 Hz

Laufrad:  
Impeller: **172 mm Ø**  
Girante:

Feststoffe bis:  
Solids up to: **17 mm Ø**  
Solidi fino a:

Umdrehung:  
Speed: **2900 min<sup>-1</sup>**  
Velocità:

8/92




# S 63 - 50 Hz

LaufRad:  
Impeller: **193 mm Ø**  
Girante:

Feststoffe bis:  
Solids up to: **22 mm Ø**  
Solidi fino a:

Umdrehung:  
Speed: **2900 min<sup>-1</sup>**  
Velocità:




# S 65 - 50 Hz

LaufRad:  
Impeller: **220 mm Ø**  
Girante:

Feststoffe bis:  
Solids up to: **25 mm Ø**  
Solidi fino a:

Umdrehung:  
Speed: **1450 min<sup>-1</sup>**  
Velocità:

08/92




# S 66 K - 50 Hz

Laufrad:  
Impeller: **220 mm Ø**  
Girante:

Feststoffe bis:  
Solids up to: **25 mm Ø**  
Solidi fino a:

Umdrehung:  
Speed: **1450 min<sup>-1</sup>**  
Velocità:

08/92




# S 68 - 50 Hz

Laufрад:  
Impeller: **220 mm Ø**  
Girante:

Feststoffe bis:  
Solids up to: **25 mm Ø**  
Solidi fino a:

Umdrehung:  
Speed: **2900 min<sup>-1</sup>**  
Velocità:

P 788102 15.02.02 S 68 ø220x24 Mod. S735153 Dwg S759221




# S 69 K - 50 Hz

Laufrad:  
 Impeller: **220 mm Ø**  
 Girante:

Feststoffe bis:  
 Solids up to: **25 mm Ø**  
 Solidi fino a:

Umdrehung:  
 Speed: **2900 min<sup>-1</sup>**  
 Velocità:

P 788102 15.02.02 S 68 ø220x24 Mod. S735153 Dwg S759221




# S 80 50 Hz

LaufRad:  
Impeller: **138 mm Ø**  
Girante:

Feststoffe bis:  
Solids up to: **32 mm Ø**  
Solidi fino a:

Umdrehung:  
Speed: **2900 min<sup>-1</sup>**  
Velocità:

S 747150 23.04.98 S 80(-2) #138x37 Mod. S 505032




# S 82 K 50 Hz

Lauftrad:  
Impeller: **138 mm Ø**  
Girante:

Feststoffe bis:  
Solids up to: **32 mm Ø**  
Solidi fino a:

Umdrehung:  
Speed: **2900 min<sup>-1</sup>**  
Velocità:

S 747150 23.04.98 S 80(-2) #138x37 Mod. S 505032




## S 83 - 50 Hz

Laufрад:  
Impeller: **170 mm Ø**  
Girante:

Feststoffe bis:  
Solids up to: **27 mm Ø**  
Solidi fino a:

Umdrehung:  
Speed: **2900 min<sup>-1</sup>**  
Velocità:




# S 85 - 50 Hz

LaufRad:  
Impeller: **220 mm Ø**  
Girante:

Feststoffe bis:  
Solids up to: **40 mm Ø**  
Solidi fino a:

Umdrehung:  
Speed: **1450 min<sup>-1</sup>**  
Velocità:

05/97




# S 88 50 Hz

Lauftrad:  
Impeller: **218 mm Ø**  
Girante:

Feststoffe bis:  
Solids up to: **35 mm Ø**  
Solidi fino a:

Umdrehung:  
Speed: **2900 min<sup>-1</sup>**  
Velocità:




# S 91 - 50 Hz

Laufrad:  
Impeller: **278 mm Ø**  
Girante:

Feststoffe bis:  
Solids up to: **37 mm Ø**  
Solidi fino a:

Umdrehung:  
Speed: **1450 min<sup>-1</sup>**  
Velocità:




# S 100 - 50 Hz

Laufrad:  
Impeller: **158 mm Ø**  
Girante:

Feststoffe bis:  
Solids up to: **37 mm Ø**  
Solidi fino a:

Umdrehung:  
Speed: **2900 min<sup>-1</sup>**  
Velocità:




# S 105 - 50 Hz

Laufrad:  
Impeller: **220 mm Ø**  
Girante:

Feststoffe bis:  
Solids up to: **45 mm Ø**  
Solidi fino a:

Umdrehung:  
Speed: **1450 min<sup>-1</sup>**  
Velocità:




# S 108 - 50 Hz

LaufRad:  
Impeller: **210 mm Ø**  
Girante:

Feststoffe bis:  
Solids up to: **35 mm Ø**  
Solidi fino a:

Umdrehung:  
Speed: **2900 min<sup>-1</sup>**  
Velocità:




# S 121 - 50 Hz

Laufrad:  
Impeller: **278 mm Ø**  
Girante:

Feststoffe bis:  
Solids up to: **45 mm Ø**  
Solidi fino a:

Umdrehung:  
Speed: **1450 min<sup>-1</sup>**  
Velocità:




## S 121 K - 50 Hz

Laufrod:  
Impeller: **278 mm Ø**  
Girante:

Feststoffe bis:  
Solids up to: **45 mm Ø**  
Solidi fino a:

Umdrehung:  
Speed: **1450 min<sup>-1</sup>**  
Velocità:




# S 150 - 50 Hz

Laufrad:  
Impeller: **220 mm Ø**  
Girante:

Feststoffe bis:  
Solids up to: **72×50 mm**  
Solidi fino a:

Umdrehung:  
Speed: **1450 min<sup>-1</sup>**  
Velocità:




# S 161 - 50 Hz

Laufrad:  
Impeller: **280 mm Ø**  
Girante:

Feststoffe bis:  
Solids up to: **63 mm Ø**  
Solidi fino a:

Umdrehung:  
Speed: **1450 min<sup>-1</sup>**  
Velocità:




# S 170(352x54) - 50 Hz

Laufrad:  
Impeller: 352 mm Ø  
Girante:

Feststoffe bis:  
Solids up to: 54 mm Ø  
Solidi fino a:

Umdrehung:  
Speed: 960 min<sup>-1</sup>  
Velocità:

P 760042 28.09.01 S 170 ø352x54 Mod. S 705305




# S 180(342×40) - 50 Hz

Laufrad:  
Impeller: **342 mm Ø**  
Girante:

Feststoffe bis:  
Solids up to: **40 mm Ø**  
Solidi fino a:

Umdrehung:  
Speed: **1450 min<sup>-1</sup>**  
Velocità:

P 753090 09.04.01 S 180 ø342x40 Mod. S 705305




# S 201 (268x75) - 50 Hz

Laufrad:  
Impeller: **268 mm Ø**  
Girante:

Feststoffe bis:  
Solids up to: **57 mm Ø**  
Solidi fino a:

Umdrehung:  
Speed: **1450 min<sup>-1</sup>**  
Velocità:

P 761221 16.07.01 S 200 ø268x75 Mod. S 746110




## S 220(352x76) - 50 Hz

Laufrad:  
Impeller: 352 mm Ø  
Girante:

Feststoffe bis:  
Solids up to: 72 mm Ø  
Solidi fino a:

Umdrehung:  
Speed: 960 min<sup>-1</sup>  
Velocità:

P 758191    27.07.01    S 220    ø352x76    Dis. S 754140




# S 230(352x73) - 50 Hz

Laufrad:  
Impeller: **352 mm Ø**  
Girante:

Feststoffe bis:  
Solids up to: **72 mm Ø**  
Solidi fino a:

Umdrehung:  
Speed: **1450 min<sup>-1</sup>**  
Velocità:



SPICO

[www.SPICOIR.com](http://www.SPICOIR.com)

**VICTOR  
PUMPS**

